

Instructions to Authors for Manuscript Preparation (Users of Word and other WYSIWYG word processors)

38th International Symposium on Combustion

Submission Deadline: 23:59, PST, 7 November 2019

Submission Link to be provided on CI website no later than 1 October 2019

This set of instructions is for authors using “What You See is What You Get” (WYSIWYG) word processors, such as Microsoft Word. Authors using LaTeX should follow the instructions at [this link](#).

Length of Contributed Papers

- Length limit is **5800** words, excluding title block, abstract, and separate list of figure captions.
- Guidelines for determination of length are included below.
- Manuscripts will be rejected without review if they exceed the limit or have an inaccurate or missing word count.

Manuscripts

- Manuscripts must be in grammatically correct, concise English.
- Double-space throughout with $\frac{3}{4}$ in. (1.91 cm) margins.
- Number all pages.
- Tables and Figures with captions must be placed within the text where they are referenced the first time.
- Use separate pages for the Title Page and List of Figure Captions.

Style and Organization

- Style follows the *Proceedings of the Combustion Institute* Vol. 37 (2019).
Note: There is a change to references outlined on page 2.
- Organize the manuscript as follows: Title Page, Abstract, Keywords, Nomenclature (if used), Introduction, Main Body, Conclusions, Acknowledgments, References, Appendices, and list of Supplemental material (if included). Place Tables and Figures with captions in the text where they are referenced the first time.
- Use numerals to denote separate sections and subsections of the Introduction, Main Body, and Conclusions.

Title Page

- A Title Page is required that includes the following:
 1. Title
 2. Author(s) and affiliation(s)
 3. Colloquium that describes the research topic (include alternate colloquia if the paper fits under more than one topic)
 4. Total length of paper
 5. List word equivalent lengths for main text, nomenclature, references, each figure with caption, and each table determined according to the instructions that follow.

Abstract

- One paragraph of 100 to 300 words.

Keywords

- List up to a maximum of five keyword entries.

Nomenclature

- If symbols are used extensively, a nomenclature list arranged alphabetically, with subscript and superscript symbols listed separately, should be provided.
- Otherwise, all symbols should be identified when first used in the text.

Abbreviations

- All acronyms or abbreviations of chemical compounds need to be written in full at their first mention with the abbreviation in parentheses.

Units

- Use the SI system of units.

Uncertainties

- Authors are strongly encouraged to provide experimental uncertainties as well as assessments of errors associated with numerical solutions.

Mathematics

- Numbers that identify mathematical expressions should be enclosed in parentheses and should be numbered consecutively beginning with “(1)” in the text.
- Refer to equations in the text as “Eq. (1),” etc., or “Equation (1),” etc., at the beginning of a sentence.
- Use fraction exponents instead of root signs.
- Use the solidus (/) for simple fractions.

References

- Reference formatting follows the style for *Proceedings of The Combustion Institute*, but now includes the title for journal papers.
- References should be indicated in the text by full-size numbers in brackets, e.g., [1] and should be numbered in the order cited.
- The numbered reference list at the end of the article should conform to the following style:
 - Journals: J.C. Rolon, F. Aguerre, S. Candel, Experiments on the interaction between a vortex and a strained diffusion flame, *Combust. Flame* 100 (3) (1995) 422-429.
 - Books: P. Prasad, Propagation of a Curved Shock and Nonlinear Ray Theory, Longman Scientific & Technical, Harlow, U.K., 1993, p. 105.
 - Edited Book: R.A. Yetter, F.L. Dryer, D.M Golden, in: M.Y. Hussaini, A. Kumar, F.G. Voigt (Eds.), Major Research Topics in Combustion, Springer-Verlag, New York, 1992, p. 309.
 - Symposium Proceedings: All symposium papers associated with the International Symposium on Combustion should be cited in the following way: R.S. Cant, S.B. Pope, K.N.C. Bray, Modelling of flamelet surface-to-volume ratio in turbulent premixed combustion, *Proc. Combust. Inst.* 23 (1990) 809-815.
 - Conference Proceedings: Conference proceedings should be styled as a book, with publisher or institution sponsoring publication and the year published as well as the year the conference was held.
 - Internal Reports: A.S. Johnson, F.W. Adams, Use of Laser Diagnostics in Supersonic Flows, Report No. SAND87-8003, Sandia National Laboratories, 1987. Authors must ensure that these references are publicly available.
 - Citing non-archival publications is strongly discouraged and authors must ensure that these references are publicly available.
 - Web Sites: V.V. Lissianski, Z. Qin, available at <http://www.me.berkeley.edu/gri_mech/>. Citation of websites should be restricted to stable websites that will remain in place. Reference to personal websites is strongly discouraged.
 - Thesis: B. Bohm, *Fully Developed Polyethylene and Wood Compartment Fires with Application to Structural Design*, PhD thesis, Technical University of Denmark, Lyngby, Denmark, 1977.
 - **Personal communication and unpublished data** is to be cited in parenthesis within the text.

Tables

- Number tables consecutively with Arabic numerals.
- Footnotes to tables should be indicated by superscript letters, beginning with “a”.
- Use the style of *Proc. Combust. Inst.* 37 or recent issues of *Combustion and Flame*.

Illustrations

- **Figures MUST be submitted at the intended size for reproduction.**

1. Single column (67mm width) or double column (up to 144 mm width)
 2. Lettering and data symbols must be large enough to be clearly legible at their final size.
- Lettering on the artwork should have a finished, printed size of 7 pt for normal text and not smaller than 6 pt for subscript and superscript characters.
 - Each figure must have a caption and a list of all captions should be typed on a separate page.
 - Figures must be placed in the text where they are referenced the first time and should be numbered consecutively, beginning with number “1”:
 1. Refer to figures in the text as “Fig. 1,” etc., or “Figure 1,” etc., at the beginning of a sentence.
 2. Figure parts should be labeled with lowercase letters, e.g., Fig. 3a.
 3. Do NOT include figures separately again at the end of the manuscript.
 - EPS and TIFF formats are preferred. Define the bounding box in EPS figures to minimize white space around the figure.
 - For assistance on how to prepare artwork visit:
<https://www.elsevier.com/authors/author-schemas/artwork-and-media-instructions>.

Supplemental Material

Elsevier is able to accept electronic supplemental multi-media material to support and enhance the presentation of your scientific research in the electronic formats (published online).

- **DO NOT submit the figures of your regular manuscript as supplemental material. Supplemental material is in addition to the manuscript content; e.g., extensive data collections, tables, reaction mechanisms, etc.**
- Supplemental material will be subject to peer review and must be submitted at the time of manuscript submission. **However, the paper must be complete and conclusive by itself without the supplemental materials. The additional material is not a way to beat the page limit.**
- Name Supplemental figures and tables as Fig. S1, Table S1, etc.
- Include a reference to your paper (Author, Title, Proc. Combust. Inst. 38, 2021) in each file.
- Indicate the availability of supplemental material on the title page of your manuscript.
- Place all supplemental material in a folder “SMM”.
- Where supplemental files represent kinetic mechanisms, data tables, etc., it is recommended that they be included as text, word or excel files rather than as pdf’s to aid use by other authors.
- A list of supplemental files and their contents (captions) must be included as a separate page at the conclusion of the manuscript.
- For further details on preferred and supported file types, please visit:
<https://www.elsevier.com/authors/author-schemas/artwork-and-media-instructions>.

Color Figure Charges and Use of Color

- Authors must agree to pay charges for reproduction of color figures at the time of submission of the manuscript. The charge is expected to be approximately \$333 per figure. Exact cost will be determined at the time of production after it has been decided whether the paper will be published in the journal.
- Color line drawings and images that are to be printed in grey scale MUST use line types, symbol shapes, colors, and image palettes that preserve technical content in grey scale.

Guidelines for Determination of Paper Length (Users of Word and other WYSIWYG word processors) 38th International Symposium on Combustion

Submitted manuscripts MUST include an estimate of length. The length limit is **5800** words (excluding title block, abstract, and the separate list of figure captions). Manuscripts that exceed the length limit will be rejected without review.

Users of WYSIWYG word processors should use the following method to determine the paper length.

- Main Text: Use word processor utility or manual count.
 1. Include Introduction, Body, Conclusions, and Acknowledgments.
 2. Exclude the Title and Abstract. Use separate count for equations.
- Equations: Word count = (#equation lines + #blank lines) x (7.6 words/line) x (#columns).
Allow for 1 blank line above and below each complete equation.
- Nomenclature: Word count = (#nomenclature lines + 4 lines) x (7.6 words/line).
- References: Word count = (#references + 2) x (2.3 lines/reference) x (7.6 words/line).
- Tables: Word count = (#text lines + 2 lines) x (7.6 words/line) x (#columns).
A full page table counts as 900 words.
- Figures and Captions:
 1. Reduce the figure to the intended final size
(67-mm width for single column, up to 144-mm width for double column).
 2. Measure the figure height in mm.
 3. Count the words in the caption.
 4. Calculate word count as:
Word count = (figure height in mm + 10 mm) x (2.2 words/mm) x (#columns) +
(#words in caption).
A full page figure counts as 900 words.

Reporting: On the title page report word counts for each item above.

Do not submit a two-column version. The submitted manuscript must be single column and double space.

Example word counts




Fig. 5. Radial profiles of the mean and standard deviation of mixture fraction and OH mass fraction at $x/D = 15, 30$ (Reynolds averages).

(from *Proc. Combust. Inst.* 30 (2005) 561)
 (105 mm + 10 mm) x (2.2 words/mm) + 21 words = **274 words**




Fig. 9. The diagram of flammable regions: extinction limits vs. equivalence ratio.

(from *Proc. Combust. Inst.* 30 (2005) 300)
 (56 mm + 10 mm) x (2.2 words/mm) + 11 words = **156 words**

Table 1
 Fuel composition

	EB1	EB2	EB1 char
<i>Ultimate (dry) (%)</i>			
C	77.33	74.67	74.55
H	5.08	4.77	0.19
O	6.29	10.08	0.02
N	1.45	1.44	1.24
S	0.96	2.16	0.70
<i>Proximate (%)</i>			
Dry loss	0.75	1.69	0.40
Ash	8.82	8.56	22.9
Vol. matter	34.91	34.25	7.50
Fixed C	55.52	55.50	69.20

(from *Proc. Combust. Inst.* 30 (2005) 2188)
 (14 text lines + 2 blank) x 7.6 words/line = **122 words**

$$\begin{aligned}
 & \rho \frac{\partial Y_i}{\partial \tau} + \varepsilon^2 \rho v_z \frac{\partial Y_i}{\partial \xi_z} + \varepsilon \rho \left[\frac{\partial Z_1}{\partial t} \frac{\partial Y_i}{\partial \zeta_1} + \frac{\partial Z_2}{\partial t} \frac{\partial Y_i}{\partial \zeta_2} \right. \\
 & \quad \left. + v_x \frac{\partial Z_1}{\partial x_x} \frac{\partial Y_i}{\partial \zeta_1} + v_z \frac{\partial Z_2}{\partial x_x} \frac{\partial Y_i}{\partial \zeta_2} \right] \\
 & = \frac{\partial}{\partial \zeta_1} \left[\rho D_i \left(\left(\frac{\partial Z_1}{\partial x_x} \right)^2 \frac{\partial Y_i}{\partial \zeta_1} + \left(\frac{\partial Z_1}{\partial x_x} \frac{\partial Z_2}{\partial x_x} \right) \frac{\partial Y_i}{\partial \zeta_2} \right. \right. \\
 & \quad \left. \left. + \varepsilon \frac{\partial Z_1}{\partial x_x} \frac{\partial Y_i}{\partial \xi_z} \right) \right] + \frac{\partial}{\partial \zeta_2} \left[\rho D_i \left(\left(\frac{\partial Z_1}{\partial x_x} \frac{\partial Z_2}{\partial x_x} \right) \frac{\partial Y_i}{\partial \zeta_1} \right. \right. \\
 & \quad \left. \left. + \left(\frac{\partial Z_2}{\partial x_x} \right)^2 \frac{\partial Y_i}{\partial \zeta_2} + \varepsilon \frac{\partial Z_2}{\partial x_x} \frac{\partial Y_i}{\partial \xi_z} \right) \right] \\
 & \quad + \varepsilon^2 \frac{\partial}{\partial \xi_z} \left[\rho D_i \left(\frac{1}{\varepsilon} \frac{\partial Z_1}{\partial x_x} \frac{\partial Y_i}{\partial \zeta_1} + \frac{1}{\varepsilon} \frac{\partial Z_2}{\partial x_x} \frac{\partial Y_i}{\partial \zeta_2} + \frac{\partial Y_i}{\partial \xi_z} \right) \right] \\
 & \quad + \dot{m}_i. \tag{4}
 \end{aligned}$$

(from *Proc. Combust. Inst.* 30 (2005) 2756)
 (13 eqn lines + 2 blank) x 7.6 words/line = **114 words**

Table 1
Milling times (min) required for spontaneous initiation of stoichiometric mixtures of Al-MoO₃ and Al-Fe₂O₃ for specific ball sizes and charge ratios

Ball size (mm)	$C_R = 2.5$	$C_R = 5$	$C_R = 10$
Al-MoO₃			
2.36	39.2 ± 1.1	33.2 ± 1.8	7.75 ± 0.21
3.16	24.2 ± 2.4	13.9 ± 0.1	7.05 ± 0.07
4.76	22.8 ± 0.8	11.4 ± 0.6	5.85 ± 0.07
9.52	35.4 ± 6.4	9.65 ± 0.9	4.60 ± 0.14
Al-Fe₂O₃			
2.36	169 ± 94	14.8 ± 1.1	8.93 ± 0.64
3.16	59.0 ± 7.1	18.1 ± 0.5	9.47 ± 0.39
4.76	41.6 ± 4.1	20.5 ± 3.6	10.0 ± 1.03
9.52	33.6 ± 4.3	11.7 ± 4.3	9.42 ± 0.74

(from *Proc. Combust. Inst.* 30 (2005) 561)
(105 mm + 10 mm) x (2.2 words/mm) + 21 words = **274 words**




Fig. 3. SEM images of the prepared reactive nano-composite powders and respective particle cross-sections.

(from *Proc. Combust. Inst.* 30 (2005) 2188)
(14 text lines + 2 blank) x 7.6 words/line x 2 columns + 21 words in caption = **264 words**

Two-column figures may be sized at less than the full two-column width (5.67 in, 144 mm), provided they are clearly legible.

A full-page figure or table counts as 900 words.